



**FOURMATIONSALES**  
PLUMBING, HEATING AND MECHANICAL INDUSTRIES

**2025**

# WAREHOUSE CATALOG



[www.fourmationsales.com](http://www.fourmationsales.com)  
[orders@fourmationsales.com](mailto:orders@fourmationsales.com)

14235 Northdale Blvd | Suite 100  
Rogers, MN 55374

**(763) 420-6900**





We believe in quality, not quantity. That's why our vision is not to be the biggest, but to be the best. We're dedicated to demand creation and 100% customer service, offering fast customer support and making our industry partners more profitable. Let us know how we can help you, and we'll be there to assist you every step of the way.

## TABLE OF CONTENTS

<b>Armstrong</b>		<b>03</b>
<b>Axiom</b>		<b>06</b>
<b>BoilerMag</b>		<b>12</b>
<b>Ecco SnapRabbit™</b>		<b>14</b>
<b>Hexonic</b>		<b>23</b>
<b>Pietro-Fiorentini</b>		<b>28</b>

### REPAIR KITS & PARTS

<b>RHEEM</b>		<b>32</b>
--------------	--	-----------




Armstrong offers Demand-based control, Digitalization, Fluid flow, and Heat transfer equipment. These solutions offer you optimum lifetime building performance through maximum design-, build- and operating flexibility, lowest project and operating risks, and lowest installed and life cost.



www.armstrongfluidtechnology.com

**HVAC & MECHANICAL**





**Astro 280ci**

STOCK #	DESCRIPTION	PRODUCT LINKS
ASTRO 2 SERIES CIRCULATORS		TECHNICAL OVERVIEW
110223-305	Astro 230 CI	<a href="#">PRODUCT</a> <a href="#">SPEC SHEET</a>
110223-315	Astro 230 CI-R	<a href="#">PRODUCT</a> <a href="#">SPEC SHEET</a>
110223-328	Astro 290 CI	<a href="#">PRODUCT</a> <a href="#">SPEC SHEET</a>
110223-320	Astro 280 CI	<a href="#">PRODUCT</a> <a href="#">SPEC SHEET</a>

**Astro 230CI-R**

**Astro 280CI/290CI**



\*\* Removable check valve installed at pump outlet.

MODEL	DIMENSIONS (INCHES)						CONNECTION TYPE & SIZE	WEIGHT (LBS)
	A	B	C	D	E	F		
Astro 230ci**	6.38	6.00	4.00	4.00	3.10	3.25	Flange – (2) ½" dia. bolt holes	8.0
Astro 230ci-r**	6.38	5.63	4.00	4.00	3.10	3.25	Flange – (2) ½" dia. bolt holes	8.0
Astro 280ci (230v)**	6.50	6.38	4.87	4.00	3.60	3.13	Flange – (2) ½" dia. bolt holes	10.1
Astro 290ci**	8.50	6.65	5.20	4.00	3.60	3.45	Flange – (2) ½" dia. bolt holes	13.2




Armstrong offers Demand-based control, Digitalization, Fluid flow, and Heat transfer equipment. These solutions offer you optimum lifetime building performance through maximum design-, build- and operating flexibility, lowest project and operating risks, and lowest installed and life cost.



www.armstrongfluidtechnology.com

**HVAC & MECHANICAL**



**E.2**



**E33.2**

STOCK #	DESCRIPTION	PRODUCT LINKS
E.2 SERIES CIRCULATORS		TECHNICAL OVERVIEW

182202-659

E9.2

[PRODUCT](#)

[SPEC SHEET](#)

182212-843

E14.2

[PRODUCT](#)

[SPEC SHEET](#)

182212-645

E30.2

[PRODUCT](#)


[SPEC SHEET](#)

182212-669

E33.2

[PRODUCT](#)

[SPEC SHEET](#)



MODEL	DIMENSIONS (INCHES)						CONNECTION TYPE & SIZE	WEIGHT (LBS)
	A	B	C	D	E	F		
E9.2	7.10	6.40	5.50	3.80	3.20	4.20	1.25" diameter 2-bolt flanges	13.1 (CI)
E14.2	9.30	6.40	7.80	4.00	3.20	4.20	1.25" diameter 2-bolt flanges	8.0 (CI)
E30.2	10.90	8.50	8.30	4.00	2.90	5.20	2" diameter 4-bolt flanges	17.2 (CI)
	11.30	8.50	8.30	4.00	3.50	6.00	3" diameter 4-bolt flanges	26.8 (CI)
E33.2	10.90	8.50	8.30	4.00	2.90	5.20	2" diameter 4-bolt flanges	17.2 (CI)
	11.30	8.50	8.30	4.00	3.50	6.00	3" diameter 4-bolt flanges	26.8 (CI)



Armstrong offers Demand-based control, Digitalization, Fluid flow, and Heat transfer equipment. These solutions offer you optimum lifetime building performance through maximum design-, build- and operating flexibility, lowest project and operating risks, and lowest installed and life cost.



www.armstrongfluidtechnology.com

**HVAC & MECHANICAL**




STOCK #	DESCRIPTION	PRODUCT LINKS
COMPASS R CIRCULATOR		

119181-113

Compass R 20-75

[PRODUCT](#)

[SPEC SHEET](#)



MODEL	DIMENSIONS (INCHES)			WEIGHT (LBS)
	A	B	C	
Compass R 20-75	6.38	11.04	8.50	18.00

STOCK #	DESCRIPTION	PRODUCT LINKS
FLANGES		

806074-111k

Cast Iron 2" Flange Set

110124-052

Circulator Isolation Flanged Ball Valve 1-1/4"

[INSTRUCTIONS](#)

[SPEC SHEET](#)





Axiom is an industry leading manufacturer of hydronic heating and cooling system components designed for use in residential, commercial, and industrial applications.



**SYSTEM FEEDERS**



MODEL NUMBER	MODEL NUMBER	MODEL NUMBER	MODEL NUMBER
CBF-2	CBF-5	DMF150	DMF300
DESCRIPTION	DESCRIPTION	DESCRIPTION	DESCRIPTION
Chemical Bypass Feeder 2USG (Wall Bracket)	Chemical Bypass Feeder 5USG	Digital Mini Feeder - 4.5USG, 0-45psi	Digital Mini Feeder - 17USG, 0-45psi
<p><b>Details:</b></p> <ul style="list-style-type: none"> <li>Axiom's Chemical By-Pass Feeder delivers chemicals to any closed loop system.</li> <li>Allows for safe and easy chemical dosing</li> <li>Ball valves for easy chemical dosing and pot feeder</li> <li>Graduated funnel with stainless steel filter for clean, accurate, and mess free chemical addition</li> <li>Pressure vessel and fittings made with brass and carbon steel</li> <li>2 Gallons (7.6L)</li> <li>Comes with wall bracket clamps</li> <li>Max pressure rating is 265psi</li> </ul>	<p><b>Details:</b></p> <ul style="list-style-type: none"> <li>Axiom's Chemical By-Pass Feeder delivers chemicals to any closed loop system.</li> <li>Allows for safe and easy chemical dosing.</li> <li>Ball valves for easy chemical dosing and pot feeder isolation</li> <li>Graduated funnel with stainless steel filter for clean, accurate, and mess free chemical addition</li> <li>Pressure vessel and fittings made with brass and Carbon steel</li> <li>5 Gallon (18.9L) model comes with adjustable steel legs</li> <li>Max pressure rating is 265psi</li> </ul>	<p><b>Details:</b></p> <ul style="list-style-type: none"> <li>17 litre (4.6 US gallon) tank</li> <li>All features shown on user friendly digital display screen</li> <li>0-45psig Pressure Setpoint with adjustable dead band</li> <li>Integrated Easy Connect Wall Mount Bracket included</li> <li>Tilted 5" easy fill access on front of tank</li> <li>UL listed Power supply plugs into any standard 115 VAC outlet</li> <li>Diaphragm pump can run dry without damage</li> <li>No need for backflow prevention</li> <li>Make-up fluid stored in the feeder tank can be pre-treated to meet appliance manufacturers specifications</li> </ul>	<p><b>Details:</b></p> <ul style="list-style-type: none"> <li>64 litre (17 US gallon) tank</li> <li>All features shown on user friendly digital display screen</li> <li>0-45psig Pressure Setpoint with adjustable dead band</li> <li>Tilted 5" easy fill access on front of tank</li> <li>UL listed Power supply plugs into any standard 115 VAC outlet</li> <li>Diaphragm pump can run dry without damage</li> <li>No need for backflow prevention</li> <li>Make-up fluid stored in the feeder tank can be pre-treated to meet appliance manufacturers specifications</li> </ul>
<a href="#">VIEW PRODUCT</a>	<a href="#">VIEW PRODUCT</a>	<a href="#">VIEW PRODUCT</a>	<a href="#">VIEW PRODUCT</a>
<a href="#">VIEW SPEC SHEET</a>	<a href="#">VIEW SPEC SHEET</a>	<a href="#">VIEW SPEC SHEET</a>	<a href="#">VIEW SPEC SHEET</a>



Axiom is an industry leading manufacturer of hydronic heating and cooling system components designed for use in residential, commercial, and industrial applications.



**CONDENSATE NEUTRALIZERS**


MODEL NUMBER	DESCRIPTION	PRODUCT LINKS
<b>NEUTRAPAL SERIES</b>		
	NC-1 NeutraPal Full Kit (400kBTU/hr, 1.6 USG/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
	NC-1S NeutraPal Hard Pipe Kit (400kBTU/hr, 1.6 USG/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
	NC-1W NeutraPal Hard Vert Wall Mount (400kBTU/hr, 1.6 USG/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
	NC-2 NeutraPal Full Kit (1MBTU/hr, 4.0 USG/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
	NC-2S NeutraPal Hard Pipe Kit (1MBTU/hr, 4.0 USG/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>



Axiom is an industry leading manufacturer of hydronic heating and cooling system components designed for use in residential, commercial, and industrial applications.



**CONDENSATE NEUTRALIZERS**

MODEL NUMBER	DESCRIPTION	PRODUCT LINKS
<b>NEUTRAPRO SERIES</b>		
	NT-15 NeutraPro Low Profile (3 MBTU/hr, 20 USG/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
	NT-25 NeutraPro High Capacity (7MBTU/hr, 45 USG/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
	NT-70 NeutraPro High Flow Tank (20MBTU/hr, 132USG/hr)	<a href="#">PRODUCT</a>
<b>NEUTRAPUMP SERIES</b>		
	NT1-P NeutraPump Full Kit (500kBTU, 1.9 G/hr)	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
	NT25-P18 Full Kit (6MBTU/hr, 40USG/hr) 18' Lift w/ Tubing	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
<b>PUMP KIT</b>		
	SF100-0202	<a href="#">PRODUCT</a>
	SF100-0800	SF100 Expansion Tank



Axiom is an industry leading manufacturer of hydronic heating and cooling system components designed for use in residential, commercial, and industrial applications.



**NEUTRALIZER REPLACEMENT MEDIA & FILTER PACKAGES**

MODEL NUMBER	DESCRIPTION	PRODUCT LINKS
<b>REPLACEMENT MEDIA</b>		



NM-1	Condensate Neutralizer NC-1 Replacement LipHter media	<a href="#">PRODUCT</a>
NM-15	Condensate Neutralizer NT-15 Replacement LipHter media	<a href="#">PRODUCT</a>
NM-25	Condensate Neutralizer NT-25 Replacement LipHter media	<a href="#">PRODUCT</a>
NM-1P	Condensate Neutralizer NT1-P Replacement LipHter+ media	<a href="#">PRODUCT</a>

**SIDE STREAM FILTER PACKAGES**



SFP-10	3/4" NPT, 10" Filter Housing, Full Kit	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
SFP-10-25M	10" filter replacement, 25-micron (30 per box)	
SFP-10-5M	10" filter replacement, 5-micron (30 per box)	
SFP-20	1" NPT, 20" Filter Housing, Full Kit	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>
SFP-20-25M	20" filter replacement, 25-micron (15 per box)	
SFP-20-5M	20" filter replacement, 5-micron (15 per box)	



Axiom is an industry leading manufacturer of hydronic heating and cooling system components designed for use in residential, commercial, and industrial applications.



**CLEANERS**

	MODEL NUMBER	DESCRIPTION	PRODUCT LINKS
	AXTH-C3-2L	Clean 3 - New System Cleaner - 2L (67.6 oz.) bottle. Treats 400L (100 gal) per bottle	<a href="#">PRODUCT</a>
			<a href="#">SPEC SHEET</a>
	AXTH-C5-500mL	500mL (16.9oz) bottle. Treats 100L (25 gal) per bottle (100 gal) per bottle	<a href="#">PRODUCT</a>
			<a href="#">SPEC SHEET</a>
	AXTH-CF9AL	Qty 2 - 1L Bottles with spray (Aluminum HX)	<a href="#">PRODUCT</a>
			<a href="#">SPEC SHEET</a>
	AXTH-CFSTEEL-1L	1L Bottle with Spray (SS HX)	<a href="#">PRODUCT</a>
			<a href="#">SPEC SHEET</a>
	AXTH-P1-2L	Protect 1 -System Corrosion & Scale Inhibitor - 2L (67.6 oz.) bottle. Treats 400 litres (100 gal) per bottle	<a href="#">PRODUCT</a>
			<a href="#">SELL SHEET</a>
	AXTH-P1-500mL	500mL (16.9oz) bottle. Treats 100 litres (25 gal) per bottle	<a href="#">PRODUCT</a>
			<a href="#">SELL SHEET</a>



Axiom is an industry leading manufacturer of hydronic heating and cooling system components designed for use in residential, commercial, and industrial applications.



**DEMINERALIZERS**



MODEL NUMBER	DESCRIPTION	PRODUCT LINKS
PuroPAK-CP	PuroPAK HWQ Complete PAK	<a href="#">PRODUCT</a>
		<a href="#">MANUAL</a>
PuroPAK-P	PuroPak + Inhibitor	<a href="#">PRODUCT</a>
PUROPAL-1	Demineralizer with Color Changing Resin	<a href="#">PRODUCT</a>
PuroPal-1000	Disposable H2O Demineralizer	<a href="#">PRODUCT</a>
		<a href="#">SPEC SHEET</a>



**BoilerMag** is a high-performance full-flow magnetic filtration system engineered to protect heating and cooling systems from magnetite (black sludge)—a common byproduct of corrosion in hot water systems. Its powerful magnetic circuit and optimized flow dynamics ensure that virtually every particle of magnetite is captured on the first pass, dramatically improving system efficiency and component lifespan.



www.boilermag.com

**HVAC & MECHANICAL**



**BM/R**

**STOCK #**

BM/R

**DESCRIPTION**

BoilerMag Residential  
1" Threaded Connection

**PRODUCT LINKS**

[PRODUCT](#)

[SPEC SHEET](#)

[MANUAL](#)

[PRODUCT](#)

[SPEC SHEET](#)

[MANUAL](#)



To suit 1 1/2" connections

**BMXL**

BMXL/NPT

BoilerMag SS  
1.5" NPT (87 psi - 28gpm)

[PRODUCT](#)

[SPEC SHEET](#)

[MANUAL](#)

BMXT/1.5NPT

BMXT100/NPT  
1.5" NPT Inlet - 4" Vessel

[PRODUCT](#)

BMXT150/ANSI

6" with 2" port  
(100 psi - 79gpm)

BMXT150/NPT

2" NPT Inlet  
6" Vessel

[SPEC SHEET](#)

BMXT150/2.5/ANSI

2.5" Inlet Flange

BMXT200/3/ANSI

8" with 3" port  
(100 psi - 229gpm)

BMXT200/ANSI

8" with 4" port  
(100 psi - 308gpm)

[MANUAL](#)



**BMXT**

Range available  
1.5" - 12"





**BoilerMag** is a high-performance full-flow magnetic filtration system engineered to protect heating and cooling systems from magnetite (black sludge)—a common byproduct of corrosion in hot water systems. Its powerful magnetic circuit and optimized flow dynamics ensure that virtually every particle of magnetite is captured on the first pass, dramatically improving system efficiency and component lifespan.



www.boilermag.com

**HVAC & MECHANICAL**




MODEL	DIMENSIONS (INCHES)				NO. MAGNETIC RODS	FLOW RATE AT 3FT/SEC GALLONS/MIN. (M3/HOUR)	FLOW RATE AT 5FT/SEC GALLONS/MIN. (M3/HOUR)	FLOW RATE AT 8FT/SEC GALLONS/MIN. (M3/HOUR)	WEIGHT (LBS)
	A	B	C	D					
BMXT150/NPT	2" NPT	6 3/4"	10 5/8"	11"	5	20 (5)	48 (11)	78 (18)	40
BMXT150/2.5/ANSI	2 1/2"	6 3/4"	12 3/8"	11"	5	46 (10)	77 (17)	122 (28)	44
BMXT200/3/ANSI	3"	8 5/8"	14 1/8"	13 1/4"	7	65	110	175	82
BMXT200/ANSI	4"	8 5/8"	14 7/8"	13 1/4"	7	120	200	315	82



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL RIGID VENTING**



**ADJUSTABLE VENT LENGTHS**

Used to complete an installation when a standard length can't be used. An extended female socket depth allows for a variable installed length.


2" and 3" Diameter Adjustable vents are non-UV resistant white polypropylene.

4", 6" and 8" diameter adjustable vents are UV resistant grey polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A		
190222	2PPADJ 2 PP ADJ PIPE	190222 - ECCO	2		6
190322	3PPADJ 3 PP ADJ PIPE	190322 - ECCO	3		6
190422	4PPADJ 4 PP ADJ PIPE	190422 - ECCO	4		6



2" and 3" dia.

**STANDARD VENT LENGTHS**

Rigid Polypropylene vent length with integrated gasket.

The male end of the vent can be cut to shorten length if required. 2" and 3" diameter vents are non-UV resistant white polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)


STOCK #	DESCRIPTION	MODEL #	DIMENSIONS			CTN QTY
			A	B	C	
190200	272PPP 2X72 PP PIPE	190200 - ECCO	2	72	69.75	6
190203	236PPP 2X36 PP PIPE	190203 - ECCO	2	36	33.75	6
190204	224PPP 2X24 PP PIPE	190204 - ECCO	2	24	21.75	6
190206	212PPP 2X12 PP PIPE	190206 - ECCO	2	12	9.75	12
190304	324PPP 3X24 PP PIPE	190304 - ECCO	3	24	21.75	8
190306	312PPP 3X12 PP PIPE	312PPP - ECCO	3	12	9.75	12
190303	336PPP 3X36 PP PIPE	336PPP - ECCO	3	36	33.75	4
190300	372PPP 3X72 PP PIPE	372PPP - ECCO	3	72	69.75	4



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL RIGID VENTING**



4" - 8" dia.

**VENT LENGTHS**


Rigid Polypropylene vent length with integrated gasket.

The male end of the vent can be cut to shorten length if required. 4" and 8" diameter vents are UV resistant grey polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS			CTN QTY
			A	B	C	
190406	4"x12" Polypro Pipe	412PPP - ECCO	4	12	9.5	6
190404	4X24 PP PIPE	424PPP - ECCO	4	24	21.5	4
190403	4"x36" Polypro Pipe	436PPP - ECCO	4	36	33.5	4
190400	472PPP 4X72 PP PIPE	472PPP - ECCO	4	72	69.5	4
190604	624PPP 6X24 PP PIPE	624PPP - ECCO	6	24	21.5	6
190603	636PPP 6X36 PP PIPE	636PPP - ECCO	6	36	33.5	4
190600	672PPP 6X72 PP PIPE	672PPP - ECCO	6	72	69.5	4
190800	8X72 PP PIPE	872PPP - ECCO	8	72	69.5	4
190803	8X36 PP PIPE	836PPP - ECCO	8	36	33.5	4
190804	8X24 PP PIPE	824PPP - ECCO	8	24	21.5	4



**UV (BLACK) VENT LENGTHS**

UV resistant Rigid Polypropylene vent length with integrated gasket.

The male end of the vent can be cut to shorten length if required. In 2" and 3" diameters UV resistant vent must always be used when the venting system could be subject to UV exposure.

**PRODUCT LINKS**

[PRODUCT](#)


STOCK #	DESCRIPTION	MODEL #	DIMENSIONS			CTN QTY
			A	B	C	
190205	224PPPB 2X24 PP PIPE UV	190205 - ECCO	2	36	33.75	12
190207	212PPPB 2X12 PP PIPE UV	190207 - ECCO	2	24	21.75	6
190307	312PPPB 3X12 PP PIPE UV	312PPPB - ECCO	3	12	9.75	12
190305	324PPPB 3X24 PP PIPE UV	324PPPB - ECCO	3	24	21.75	8



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL RIGID VENTING**



2" and 3" dia.

**ELBOW 87°**


Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system.

2" and 3" diameter elbows are non-UV resistant white polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190211	287PEL 2X87 PP ELBOW	190211 - ECCO	2	12
190311	387PEL 3X87 PP ELBOW	387PEL - ECCO	3	12



4" - 8" dia.

**ELBOW 87°**

Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system.

4" - 8" diameter elbows are UV resistant grey polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190411	487PEL 4X87 PP ELBOW	487PEL - ECCO	4	6
190611	687PEL 6X87 PP ELBOW	687PEL - ECCO	6	4
190811	8X87 PP ELBOW	887PEL - ECCO	8	4



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL RIGID VENTING**



**ELBOW 87° - UV (BLACK)**

UV Resistant Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system. In 2" and 3" diameters UV resistant elbows must always be used when the venting system could be subject to UV exposure.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190212	287PELB 2X87 PP ELBOW UV	190212 - ECCO	2	12
190312	387PELB 3X87 PP ELBOW UV	387PELB - ECCO	3	12



2" and 3" dia.

**ELBOW 45°**

Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system.

2" and 3" diameter elbows are non-UV resistant white polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190213	245PEL 2X45 PP ELBOW	190213 - ECCO	2	12
190313	345PEL 3X45 PP ELBOW	345PEL - ECCO	3	12



4" - 8" dia.

**ELBOW 45°**

Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system.

4" - 8" diameter elbows are UV resistant grey polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190413	445PEL 4X45 PP ELBOW	445PEL - ECCO	4	6
190613	6X45 PP ELBOW	645PEL - ECCO	6	4
190813	8X45 PP ELBOW	845PEL - ECCO	8	4



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL RIGID VENTING**




**ELBOW 45° - UV (BLACK)**

UV Resistant Polypropylene elbows with integrated gasket. Used to create offsets or changes in direction of the venting system. In 2" and 3" diameters UV resistant elbows must always be used when the venting system could be subject to UV exposure.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A		
190214	245PELB 2X45 PP ELBOW UV	190214 - ECCO	2		12
190314	345PELB 3X45 PP ELBOW UV	345PELB - ECCO	3		12



3" - 2" dia.

**REDUCERS**

Used to reduce the vent system diameter. See appliance installation instructions.

Reducers are made of non-UV resistant polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190227	302PRED PP 3 TO 2 REDUCER	190227 - ECCO	3	2	6



2" - 3" dia.

**INCREASERS**

Used to increase vent system diameter. See appliance installation instructions.

Reducers are made of non-UV resistant polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190326	PP 3 TO 4 INCREASER	304PINC - ECCO	3	4	6



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL RIGID VENTING**



**APPLIANCE ADAPTER - METRIC**


Adapts 3 in 1 flue collars to standard SnapRabbit metric sized vent.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190456	100PPAD 100MM PP ADAPTER	190456 - ECCO	4	3.94	*

*\*Product ships individually*



**APPLIANCE ADAPTER - IMPERIAL**


Adapts standard imperial sized stainless steel flue collars to standard SnapRabbit metric sized vent.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190697	6 IMPERIAL ADAPTER	190697 - ECCO	6	6	*
190897	8 IMPERIAL ADAPTER	190897 - ECCO	8	8	*

*\*Product ships individually*



**APPLIANCE ADAPTERS - PVC SIZED FLUE COLLARS**

Used to connect SnapRabbit to an appliance with an integrated gasket sized for PVC diameters.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190932	4PPSSAD 4 PP SS ADAPTER	4PPSSAD - ECCO	4	4.5	*


*\*Product ships individually*



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL RIGID VENTING**



**CASCADE EXTENSION KITS**

Used to add an additional appliance to the cascade system. Cascade Kit components are made from UV resistant grey polypropylene.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190949	406EK 4 TO 6 EXT STARTER	190949 - ECCO	4	6	*

*\*Product ships individually*



**LOCKING CLAMPS - PLASTIC**

With this locking clamp you can create an extra pull safe connection in just a few seconds.

- Made from high quality UV-resistant unbreakable Polypropylene
- Easy to close and re-open for repositioning
- The locking clamp allows for up to 3/8" (10 mm) of thermal expansion at each joint, which is required for safe installation of polypropylene venting systems.

**PRODUCT LINKS**

[PRODUCT](#)


STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190220	2PPLC 2 PP LOCK CLAMP	190220 - ECCO	2	12
190320	3PPLC 3 PP LOCK CLAMP	3PPLC - ECCO	3	12
190420	4PPLC 4 PP LOCK CLAMP	4PPLC - ECCO	4	12



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**SINGLE WALL FLEX VENTING**



**CHIMNEY FLEX RELINING KITS**

Used when a masonry chimney is relined with flexible polypropylene vent. The cap is designed to suit direct vent configurations. If code permits, the existing masonry flue can be utilized as a vent for supply air. Flex vent sold separately.

**KIT INCLUDES:**


- (1) Chimney Cap
- (5) Flex Spacers
- (1) Male Adapter
- (1) Support Elbow and Bracket
- (1) UV Pipe with Flex Connection
- Installation Hardware
- Lubricant

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190336	3 PP FLEX KIT	3PPFK - ECCO	Flex Size 3		*

*\*Product ships individually*



**FLEX VENT LENGTHS**

Used to reline existing masonry or factory built venting systems. Comes in various length coils, and can be cut to any desirable length, or coupled together.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS		CTN QTY
			A	B	
190337	3X40' PP FLEX	340PPF - ECCO	3.3	40	*


*\*Product ships individually*



The complete Single Wall Rigid and Flex System for type BH gas venting. SnapRabbit™ works for ANSI Category II and IV condensing boilers and is certified ULC S636.



**ACCESSORIES**



**LOCKING CLAMPS - GALVANIZED**

The locking clamp allows for up to 3/8" (10 mm) of thermal expansion at each joint, which is required for safe installation of polypropylene venting systems. A locking clamp is required at each joint to secure connections between vents and fittings.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190620	6 PP LOCK CLAMP	6PPLC - ECCO	6	6
190820	8 PP LOCK CLAMP	8PPLC - ECCO	8	6



**SUPPORT BRACKETS**

Used along a wall to support single wall venting systems in vertical or horizontal configurations. These supports will not provide pitch when hung from a level ceiling.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	DIMENSIONS	CTN QTY
			A	
190421	4 PP BRACKET	4PPB - ECCO	4	12



**GASKET LUBRICANT**

Special chloride-free lubricant, recommended for all joints with a gasket. Applied to gaskets to ease assembly of vents and components.

**PRODUCT LINKS**

[PRODUCT](#)

STOCK #	DESCRIPTION	MODEL #	CTN QTY
190900	PPGL PP GASKET LUBE	PPGL- ECCO	-



Hexonic heat exchangers allow for effective heat transfer in industrial systems and for individual recipients all over the world. They offer high quality products and design solutions.



www.hexonic.com

**BRAZED PLATE HEAT EXCHANGERS**



LC110

**L SERIES**

HEXONIC Model BPH, The L series brazed plate heat exchangers are a perfect solution for heating and cooling installations. With the H in the models number, is for a high performance plate design. These plates are specially designed to out perform by 8% to the typical plate heat exchangers. These high performance plates increase heat transfer with a close approach temperature difference. Brazed plate heat exchangers are the perfect solution that allows to maintain high thermal performance at low operating costs. Brazed plate heat exchangers guarantee reliable, long-term operation. **Max 435 PSI**

**PRODUCT LINKS**

**PRODUCT**

**SELECTION SOFTWARE**



LB31



LC110




MATERIALS	WORKING PARAMETERS
Stainless Steel	Max. Temperature: 446° F
Copper Brazing	Min. Temperature: -320° F
	LB31 Max. Pressure: 435 PSI
	LC110 Max. Pressure: 362 PSI
EXEMPLARY MEDIA	
	Water
	Propylene Glycol Solutions
	Other (Consult the Manufacturer)

Other Useful Information on the source side: Operating pressure _____ % of Glycol if any _____ Max pressure drop or acceptable head pressure _____	<p><b>Parameter 1</b></p> <p>Load Side BTU's Needed</p> <input type="text"/> or Load side GPM	Other Useful Information on the source side: Operating pressure _____ % of Glycol if any _____ Max pressure drop or acceptable head pressure _____
---	--	---

**SIZING PARAMETERS**

Review the chart to the left for sizing parameters. All orange items are REQUIRED. Contact an expert at FourMation Sales for correct sizing.






Hexonic heat exchangers allow for effective heat transfer in industrial systems and for individual recipients all over the world. They offer high quality products and design solutions.



www.hexonic.com

**BRAZED PLATE HEAT EXCHANGERS**




LB31

**LB31 SERIES - FRONT AND BACK CONNECTIONS**

These are compact, copper-brazed plate heat exchangers — ideal for smaller systems like residential/domestic hot water or small HVAC loops.

**PRODUCT LINKS**

[DOWNLOAD CENTER](#)



EXCHANGER TYPE	DIMENSIONS (INCHES)						HTA SQ. FT
	A	B	C	D	E	F	
LB31	2.68	9.13	11.26	4.61	1.10	= 0.39 + 0.09 × NP	0.34

NP – number of plates | dim. F +/- 3%.

STOCK #	MODEL	# PLATES	WxLxD	CONNECTION
0403-0289	LB31-10H-1"-UM	10	4.94 x 11.26 x 1.29	1" MPT
0403-0262	LB31-20H-1"-UM	20	4.94 X 11.26 X 2.19	1" MPT
0403-0290	LB31-30H-1"-UM	30	4.94 X 11.26 X 3.09	1" MPT
0403-0291	LB31-40H-1"-UM	40	4.94 X 11.26 X 3.99	1" MPT
0403-0292	LB31-50H-1"-UM	50	4.94 X 11.26 X 4.89	1" MPT
0403-0264	LB31-60H-1"-UM	60	4.94 X 11.26 X 5.79	1" MPT
0403-0293	LB31-80H-1"-UM	80	4.94 X 11.26 X 7.59	1" MPT
0403-0294	LB31-100H-1"-UM	100	4.94 X 11.26 X 9.39	1" MPT




Hexonic heat exchangers allow for effective heat transfer in industrial systems and for individual recipients all over the world. They offer high quality products and design solutions.



www.hexonic.com

**BRAZED PLATE HEAT EXCHANGERS**



LB31

**LB31 SERIES - FRONT AND BACK CONNECTIONS**

These are compact, copper-brazed plate heat exchangers — ideal for smaller systems like residential/domestic hot water or small HVAC loops.

**PRODUCT LINKS**

[DOWNLOAD CENTER](#)

BOILER 170°F-> 140°F		RADIANT FLOOR WORKS WITH 100°F IN -> 120°F; 35%PPG				
MODEL	# PLATES	BTUH	SIDE A BOILER		SIDE B RADIANT FLOOR	
			GPM	PSI	GPM	PSI
LB31-10H-1"-UM	10	45,000	3.08	1.4	4.82	2.6
LB31-20H-1"-UM	20	95,000	6.51	1.3	10.18	2.9
LB31-30H-1"-UM	30	135,000	9.25	1.2	14.47	2.9
LB31-40H-1"-UM	40	175,000	12.00	1.1	18.76	2.9
LB31-50H-1"-UM	50	210,000	14.40	1.1	12.51	2.9
LB31-60H-1"-UM	60	240,000	16.45	1.1	25.73	3.0
LB31-80H-1"-UM	80	290,000	19.88	1.1	31.09	2.9
LB31-100H-1"-UM	100	330,000	22.62	1.1	35.38	3.0

BOILER 180°F-> 150°F		SNOW MELT WORKS WITH 100°F IN -> 130°F; 40%PG				
MODEL	# PLATES	BTUH	SIDE A BOILER		SIDE B RADIANT FLOOR	
			GPM	PSI	GPM	PSI
LB31-10H-1"-UM	10	50,000	3.44	1.7	3.61	1.5
LB31-20H-1"-UM	20	150,000	10.31	3.0	10.82	3.3
LB31-30H-1"-UM	30	250,000	17.18	3.8	18.04	4.5
LB31-40H-1"-UM	40	300,000	20.62	3.2	21.64	3.9
LB31-50H-1"-UM	50	400,000	27.49	3.8	28.86	4.7
LB31-60H-1"-UM	60	450,000	30.93	3.8	32.47	4.7
LB31-80H-1"-UM	80	500,000	34.36	3.2	36.07	3.9
LB31-100H-1"-UM	100	500,000	34.36	2.5	36.07	3.1



Hexonic heat exchangers allow for effective heat transfer in industrial systems and for individual recipients all over the world. They offer high quality products and design solutions.



www.hexonic.com

**BRAZED PLATE HEAT EXCHANGERS**

**LC110 SERIES - LARGE BRAZED PLATE HEAT EXCHANGERS**


**PRODUCT LINKS**

These are higher-capacity units for commercial/industrial systems — used in larger HVAC, heat pump, or process water systems.

**DOWNLOAD CENTER**



**LC110**



EXCHANGER TYPE	DIMENSIONS (INCHES)						HTA SQ. FT
	A	B	C	D	E	F	
LC110	6.69	14.88	18.23	10.04	1.50	= 0.39 + 0.09 × NP	0.34

NP – number of plates | dim. F +/- 3%.

STOCK #	MODEL	# PLATES	WxLxD	CONNECTION
0440-1294	LC110-20L-2.5"-UM	20	10.4 x 18.23 x 2.19	2.5" MPT
0440-1295	LC110-30L-2.5"-UM	30	10.4 x 18.23 x 3.09	2.5" MPT
0440-1296	LC110-40L-2.5"-UM	40	10.4 x 18.23 x 3.99	2.5" MPT
0440-1297	LC110-50L-2.5"-UM	50	10.4 x 18.23 x 4.89	2.5" MPT
0440-1298	LC110-60L-2.5"-UM	60	10.4 x 18.23 x 5.79	2.5" MPT
0440-1299	LC110-70L-2.5"-UM	70	10.4 x 18.23 x 6.69	2.5" MPT
0440-1300	LC110-80L-2.5"-UM	80	10.4 x 18.23 x 7.59	2.5" MPT
0440-1301	LC110-90L-2.5"-UM	90	10.4 x 18.23 x 8.49	2.5" MPT
0440-1302	LC110-100L-2.5"-UM	100	10.4 x 18.23 x 9.39	2.5" MPT
2204-0014	MNT LC	Mounting Bracket for LC110 Models		N/A



Hexonic heat exchangers allow for effective heat transfer in industrial systems and for individual recipients all over the world. They offer high quality products and design solutions.



www.hexonic.com

**BRAZED PLATE HEAT EXCHANGERS**



**LC110 SERIES - LARGE BRAZED PLATE HEAT EXCHANGERS**

These are higher-capacity units for commercial/industrial systems — used in larger HVAC, heat pump, or process water systems.

**PRODUCT LINKS**

[DOWNLOAD CENTER](#)

BOILER 180°F-> 150°F	RADIANT FLOOR WORKS WITH 80°F IN-> 100°F OUT 100°F IN -> 120°F OUT; 120°F IN -> 140°F OUT					
	MODEL	BTUH	SIDE A BOILER		SIDE B RADIANT FLOOR	
			GPM	PSI	GPM	PSI
	LC110-20L-2.5"-UM	440,000	30.25	1.9	44.65	3.5
	LC110-30L-2.5"-UM	560,000	38.50	1.4	56.82	2.8
	LC110-40L-2.5"-UM	800,000	55.00	1.7	81.18	3.4
	LC110-50L-2.5"-UM	960,000	66.00	1.6	97.41	3.4
	LC110-60L-2.5"-UM	1,120,000	77.00	1.7	113.65	3.7
	LC110-70L-2.5"-UM	1,280,000	88.00	1.8	129.89	3.9
	LC110-90L-2.5"-UM	1,600,000	110.00	2.1	162.36	4.6

BOILER 180°F-> 150°F	DOMESTIC HOT WATER 50°F IN, 140°F OUT					DOMESTIC HOT WATER 100°F IN, 140°F OUT					
	MODEL	BTUH	SIDE A BOILER		SIDE B DHW		BTUH	SIDE A BOILER		SIDE B DHW	
			GPM	PSI	GPM	PSI		GPM	PSI	GPM	PSI
	LC110-20L-2.5"-UM	750,000	51.55	5.1	16.67	0.6	750,000	51.55	5.1	37.88	2.5
	LC110-30L-2.5"-UM	1,000,000	68.73	4.3	22.23	0.5	1,000,000	68.73	4.3	50.51	2.5
	LC110-40L-2.5"-UM	1,500,000	103.09	5.5	33.35	0.6	1,500,000	103.09	5.5	75.76	3.0
	LC110-50L-2.5"-UM	2,000,000	137.46	6.6	44.47	0.8	2,000,000	137.46	6.6	101.01	3.6
	LC110-60L-2.5"-UM	2,500,000	171.82	8.1	55.58	1.0	2,500,000	171.82	8.1	126.27	4.5

BOILER 180°F-> 150°F	SNOW MELT 100°F IN, 130°F OUT; 40%PG					
	MODEL	BTUH	SIDE A BOILER		SIDE B RADIANT FLOOR	
			GPM	PSI	GPM	PSI
	LC110-20L-2.5"-UM	550,000	37.80	2.9	39.68	3.2
	LC110-30L-2.5"-UM	750,000	51.55	2.5	54.11	3.0
	LC110-40L-2.5"-UM	1,000,000	68.73	2.5	72.15	3.1
	LC110-50L-2.5"-UM	1,300,000	89.35	2.9	93.79	3.6
	LC110-60L-2.5"-UM	1,600,000	109.97	3.4	115.43	4.3
	LC110-70L-2.5"-UM	2,000,000	137.46	3.7	144.29	4.6
	LC110-90L-2.5"-UM	2,350,000	161.51	3.7	169.55	4.6



Pietro regulators are compact, easy to install, and built for reliability. They're ANSI-certified, come with built-in filters and vent limiters, and hold pressure steady—even with fluctuating loads. Great alternative to traditional regulators, especially for high-efficiency appliances or when you want fewer call-backs.



**LOW PRESSURE GAS REGULATORS AND GOVERNORS**

**PF400S - STANDARD CAPACITY**



- **High Capacity:** 500:1 turndown ratio supports high-efficiency and modulating gas equipment.
- **Built-In Features:** Includes test ports and washable filters for easy maintenance and debris protection.
- **Vent Limiting:** No external vent line required—simplifies install and meets safety standards.
- **Flexible Mounting:** Works in horizontal or vertical orientation.
- **Fast Response:** Balanced valve tech ensures stable pressure despite inlet fluctuations.
- **Cost-Effective:** Plug-and-play design cuts install time and post-adjustments.

**PRODUCT LINKS**

- [PRODUCT](#)
- [PRODUCT FLYER](#)

STOCK #	SPRING	CAPACITY	CAPACITY MBH	NOTES
PF400S-VL-F-1/2"	7-10"	Standard	140 Single 400 Comb	Natural or LP, 10psi with vent limiter removed
PF400S-VL-F-3/8"	7-10"	Standard	140 Single 400 Comb	Includes vent limiter and outdoor cap
PF400D-VL-F-1/2"	7-10"	Standard	140 Single 400 Comb	Includes vent limiter and outdoor cap

**STANDARD CAPACITY**



- **High Capacity:** 500:1 turndown ratio supports high-efficiency and modulating gas equipment.
- **Built-In Features:** Includes test ports and washable filters for easy maintenance and debris protection.
- **Vent Limiting:** No external vent line required—simplifies install and meets safety standards.
- **Flexible Mounting:** Works in horizontal or vertical orientation.
- **Fast Response:** Balanced valve tech ensures stable pressure despite inlet fluctuations.
- **Cost-Effective:** Plug-and-play design cuts install time and post-adjustments.

**PRODUCT LINKS**

- [PRODUCT](#)
- [TECHNICAL BROCHURE](#)

STOCK #	SPRING	CAPACITY	CAPACITY MBH	NOTES
F31051-1BS VL CAP	6-14"	Standard	785	Natural or LP, 7.25psi with vent limiter removed
F31052-2BS VL CAP	6-14"		946	
F31053-3BS VL CAP	6-14"		1154	



Pietro regulators are compact, easy to install, and built for reliability. They're ANSI-certified, come with built-in filters and vent limiters, and hold pressure steady—even with fluctuating loads. Great alternative to traditional regulators, especially for high-efficiency appliances or when you want fewer call-backs.



**LOW PRESSURE GAS REGULATORS AND GOVERNORS**

**OPD - STANDARD CAPACITY**

**PRODUCT LINKS**

- **High Capacity:** 500:1 turndown ratio supports high-efficiency and modulating gas equipment.
- **Built-In Features:** Includes test ports and washable filters for easy maintenance and debris protection.
- **Vent Limiting:** No external vent line required—simplifies install and meets safety standards.
- **Flexible Mounting:** Works in horizontal or vertical orientation.
- **Fast Response:** Balanced valve tech ensures stable pressure despite inlet fluctuations.
- **Cost-Effective:** Plug-and-play design cuts install time and post-adjustments..

**PRODUCT**

**TECHNICAL BROCHURE**



**OPD (Over Pressure Protection Device)** regulator is preferred when you need the system to continue operating even if the primary regulator fails. The OPD allows the system to keep running at a higher pressure (set at 70% higher than the working pressure) until the regulator can be replaced. This is useful in scenarios where continuous operation is critical, such as maintaining boiler function during winter.

STOCK #	SPRING	CAPACITY	CAPACITY MBH	NOTES
F31051 OPD-7-BY VL CAP	6-14"	Standard	785	Includes vent limiter and outdoor cap
F31052 OPD-7-BY VL CAP	6-14"		946	
F31053 OPD-7-BY VL CAP	6-14"		1270	

**HIGH CAPACITY**

**PRODUCT LINKS**

- **High Capacity:** 500:1 turndown ratio supports high-efficiency and modulating gas equipment.
- **Built-In Features:** Includes test ports and washable filters for easy maintenance and debris protection.
- **Vent Limiting:** No external vent line required—simplifies install and meets safety standards.
- **Flexible Mounting:** Works in horizontal or vertical orientation.
- **Fast Response:** Balanced valve tech ensures stable pressure despite inlet fluctuations.
- **Cost-Effective:** Plug-and-play design cuts install time and post-adjustments.

**PRODUCT**

**TECHNICAL BROCHURE**



STOCK #	SPRING	CAPACITY	CAPACITY MBH	NOTES
F31150-1BP VL CAP	6-14"	High	1731	-
F31151-2BP VL CAP	6-14"		2020	Includes vent limiter and outdoor cap
F31152-3BP VL CAP	6-14"		2540	
F31153-4BP VL CAP	6-14"		5311	
F31154-5BP VL CAP	6-14"		6581	
F31155-6BP VL CAP	6-14"		13278	



Pietro regulators are compact, easy to install, and built for reliability. They're ANSI-certified, come with built-in filters and vent limiters, and hold pressure steady—even with fluctuating loads. Great alternative to traditional regulators, especially for high-efficiency appliances or when you want fewer call-backs.



**LOW PRESSURE GAS REGULATORS AND GOVERNORS**

**DC - HIGH CAPACITY**

**PRODUCT LINKS**



- **High Capacity:** 500:1 turndown ratio supports high-efficiency and modulating gas equipment.
- **Built-In Features:** Includes test ports and washable filters for easy maintenance and debris protection.
- **Vent Limiting:** No external vent line required—simplifies install and meets safety standards.
- **Flexible Mounting:** Works in horizontal or vertical orientation.
- **Fast Response:** Balanced valve tech ensures stable pressure despite inlet fluctuations.
- **Cost-Effective:** Plug-and-play design cuts install time and post-adjustments.

**PRODUCT**

**TECHNICAL BROCHURE**

Use a **Dual Cut Regulator** when you need to ensure that the system operates safely under high pressure conditions, typically between 2 to 10 pounds per square inch (PSI). The dual cut system reduces the pressure in two stages, ensuring that even if the first stage fails, the second stage keeps the pressure below the safety threshold. This method is conservative and meets the ANSI Z 2180 standard

STOCK #	SPRING	CAPACITY	CAPACITY MBH	NOTES
F31153 DC-10-7-BV VL CAP	6-14"	High	5311	Includes vent limiter and outdoor cap
F31154 DC-10-7-BV VL CAP	6-14"		6581	

**OPD - HIGH CAPACITY**

**PRODUCT LINKS**



- **High Capacity:** 500:1 turndown ratio supports high-efficiency and modulating gas equipment.
- **Built-In Features:** Includes test ports and washable filters for easy maintenance and debris protection.
- **Vent Limiting:** No external vent line required—simplifies install and meets safety standards.
- **Flexible Mounting:** Works in horizontal or vertical orientation.
- **Fast Response:** Balanced valve tech ensures stable pressure despite inlet fluctuations.
- **Cost-Effective:** Plug-and-play design cuts install time and post-adjustments.

**PRODUCT**

**TECHNICAL BROCHURE**

**OPD (Over Pressure Protection Device)** regulator is preferred when you need the system to continue operating even if the primary regulator fails. The OPD allows the system to keep running at a higher pressure (set at 70% higher than the working pressure) until the regulator can be replaced. This is useful in scenarios where continuous operation is critical, such as maintaining boiler function during winter.

STOCK #	SPRING	CAPACITY	CAPACITY MBH	NOTES
F31154 OPD-7-BY VL CAP	6-14"	High	6581	Includes vent limiter and outdoor cap
F31155 OPD-7-BY VL CAP	6-14"		13278	



Pietro regulators are compact, easy to install, and built for reliability. They're ANSI-certified, come with built-in filters and vent limiters, and hold pressure steady—even with fluctuating loads. Great alternative to traditional regulators, especially for high-efficiency appliances or when you want fewer call-backs.



**LOW PRESSURE GAS REGULATORS AND GOVERNORS**

**MAXITROL/PIETRO FIORENTINI CROSS REFERENCE CHART**

Maxitrol Part #	Capacity MBH	Size	Pietro Part #	Spring	Capacity	Capacity MBH	Notes
123253445PSI	204	1/2"	PF4005-VL-F-1/2"	7-10"	Standard	140 Single 400 Comb	Natural or LP, 10psi with vent limiter removed
123255A5PSI	476	1/2"	F31051-1BS VL CAP	6-14"		785	Natural or LP, 7.25psi with vent limiter removed
343255A5PSI	583	3/4"	F31052-2BS VL CAP	6-14"		946	
13255A5PSI	673	1"	F31053-3BS VL CAP	6-14"		1154	
325-3L/383253	140 Single 250 Comb	3/8"	PF4005-VL-F-3/8"	7-10"	Standard	140 Single 400 Comb	Includes vent limiter and outdoor cap
325-3L/123253	141 Single 250 Comb	1/2"	PF4005-VL-F-1/2"	7-10"		140 Single 400 Comb	
325-5L/123255	500	1/2"	F31051-1BS VL CAP	6-14"		785	
325-5L/343255	600	3/4"	F31052-2BS VL CAP	6-14"		946	
325-5L/13255	600	1"	F31053-3BS VL CAP	6-14"		1154	
325-3L48/123253L48	200	1/2"	PF400D-VL-F-1/2"	7-10"	Standard	140 Single 400 Comb	Includes vent limiter and outdoor cap
325-5L48/123255L48	235	1/2"	F31051 OPD-7-BY VL CAP	6-14"		785	
325-5L48/343255L48	320	3/4"	F31052 OPD-7-BY VL CAP	6-14"		946	
325-5L600/343255L600	425	3/4"	F31052 OPD-7-BY VL CAP	6-14"		946	
325-5L600/343255L600	465	1"	F31053 OPD-7-BY VL CAP	6-14"		1270	
<b>FOR USE WITH MODULATING GAS VALVES</b>							
-	N/A	1/2"	F31150-1BP VL CAP	6-14"	High	1731	-
-	N/A	3/4"	F31151-2BP VL CAP	6-14"		2020	
-	N/A	1"	F31152-3BP VL CAP	6-14"		2540	
325-7AL/1143257AL	1250	1-1/4"	F31153-4BP VL CAP	6-14"		5311	Includes vent limiter and outdoor cap
325-7AL/1123257AL	1250	1-1/2"	F31154-5BP VL CAP	6-14"		6581	
325-9L/1123259L	2250	1-1/2"	F31154-5BP VL CAP	6-14"		6581	
325-9L/23259L	2250	2"	F31155-6BP VL CAP	6-14"	13278		
325-7AL210D/1143257L210D	900	1-1/4"	F31153 DC-10-7-BV VL CAP	6-14"	High	5311	Includes vent limiter and outdoor cap
325-7AL210D/1123257L210D	900	1-1/2"	F31154 DC-10-7-BV VL CAP	6-14"		6581	
325-9L210E/1123259LOPD	2250	1-1/2"	F31154 OPD-7-BY VL CAP	6-14"		6581	
325-9L210E/23259LOPD	2250	2"	F31155 OPD-7-BY VL CAP	6-14"		13278	
12RV47L	60	1/2"	PF4005-VL-F-1/2"	7-10"	Standard	140 Single 400 Comb	Natural or LP, 10psi with vent limiter removed
12RV48	130	1/2"	PF4005-VL-F-1/2"	7-10"		140 Single 400 Comb	
34RV48	150	3/4"	F31052-2BS VL CAP	6-14"	High	946	Includes vent limiter and outdoor cap
1210D	2500	1"	F31152-3BP VL CAP	6-14"		1154	
114210D	2500	1-1/4"	F31153-4BP VL CAP	6-14"		5311	
112210D	2500	1-1/2"	F31154-5BP VL CAP	6-14"		6581	





FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**



**RESIDENTIAL GAS**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PRODUCT LINKS**

[PARTS LIST](#)

PART #	DESCRIPTION	LINKS
<b>PROG40-38N RH62</b>		
SP21195C	WR Gas Valve and Pilot Adapter Kit	<a href="#">PRODUCT</a>
AP14317U-1	Pilot Tube Assembly - NG	<a href="#">PRODUCT</a>
SP8346	Temperature and Pressure Relief Valve (T&P)	<a href="#">PRODUCT</a>
SP20173	Thermocouple Replacement Kit - FVIR (High Temperature Gasket)	<a href="#">PRODUCT</a>
SP20063	Gasket Replacement Kit Burner Access Door	<a href="#">PRODUCT</a>
SP20003	Nipples - Heat Trap (3/4 in. NPT x 3 in. long) - Pack of 2	<a href="#">PRODUCT</a>
<b>PROG40S-38N RH62</b>		
SP14270F	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
SP20127	Pilot Assembly Replacement Kit - NG	<a href="#">PRODUCT</a>
SP43705	Burner Assembly - 18 in. Kit	<a href="#">PRODUCT</a>
SP14410	Piezo Ignitor and Bracket	<a href="#">PRODUCT</a>
SP20063	Gasket Replacement Kit - Burner Access Door	<a href="#">PRODUCT</a>
SP8346	Temperature and Pressure Relief Valve (T&P)	<a href="#">PRODUCT</a>
SP11309C	Anode Rod - 0.750 in. Diameter x 44-3/8 in. Long - Magnesium	<a href="#">PRODUCT</a>
PT16830C	Drain Valve - Brass (Full flow)	<a href="#">PRODUCT</a>

PART #	DESCRIPTION	LINKS
<b>PROG50-38N RH60</b>		
SP21195C	WR Gas Valve and Pilot Adapter Kit	<a href="#">PRODUCT</a>
PT14317P	Pilot Assembly - NG	
AM50509	Burner/Door Assembly - NG	<a href="#">PRODUCT</a>
SP11309C	Anode Rod - 0.750 in. Diameter x 44-3/8 in. Long - Magnesium	<a href="#">PRODUCT</a>
PT16830C	Drain Valve - Brass (Full flow)	<a href="#">PRODUCT</a>
<b>PROG50S-40N RH61</b>		
SP14270K	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
AP14317J-3	Pilot Assembly - NG	
SP43184	Burner Assembly Kit	<a href="#">PRODUCT</a>
SP14410	Piezo Ignitor and Bracket	<a href="#">PRODUCT</a>
SP20063	Gasket Replacement Kit - Burner Access Door	<a href="#">PRODUCT</a>
<b>PROG40-40N RH67 PV</b>		
SP20231	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
AP14698A-1	Pilot Assembly - NG	
SP42407	Burner Assembly Kit	<a href="#">PRODUCT</a>
SP21031A	Blower Assembly - Residential Powervent	<a href="#">PRODUCT</a>
SP21090A	Pressure Switch	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.

**RHEEM - REPLACEMENT PARTS**

**RESIDENTIAL GAS**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PRODUCT LINKS**

**PARTS LIST**

PART #	DESCRIPTION	LINKS
<b>PROG40S-36N RH67 PV</b>		
SP20231	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
AP14698C-1	Pilot Assembly - NG	<a href="#">PRODUCT</a>
SP42411	Burner Assembly Kit	<a href="#">PRODUCT</a>
SP20063	Gasket Replacement Kit Burner Access Door	<a href="#">PRODUCT</a>
SP20172	FV Sensor Kit	<a href="#">PRODUCT</a>
SP21031A	Blower Assembly - Residential Powervent	<a href="#">PRODUCT</a>
<b>PROG50-42N RH67 PV</b>		
SP20231	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
AP14698B-1	Pilot Assembly - NG	<a href="#">PRODUCT</a>
AM42409	Burner Assembly Kit	
SP20063	Gasket Replacement Kit Burner Access Door	<a href="#">PRODUCT</a>
SP20172	FV Sensor Kit	<a href="#">PRODUCT</a>
SP21031B	Blower Assembly - Residential Powervent	<a href="#">PRODUCT</a>
<b>PROG50S-36N RH67 PV</b>		
SP20231	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
AP14698D-1	Pilot Assembly - NG	<a href="#">PRODUCT</a>
SP42413	Burner Assembly Kit	<a href="#">PRODUCT</a>
SP20063	Gasket Replacement Kit Burner Access Door	<a href="#">PRODUCT</a>
SP20172	FV Sensor Kit	<a href="#">PRODUCT</a>
SP21031A	Blower Assembly Residential Powervent	<a href="#">PRODUCT</a>

PART #	DESCRIPTION	LINKS
<b>PRO+G75-76N RH</b>		
SP14339B	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
SP20127	Pilot Assembly Replacement Kit - NG	<a href="#">PRODUCT</a>
AM51017	Burner/Door Assembly - White Rodgers 44V75-3 and G75LD-3 - NG	<a href="#">PRODUCT</a>
SP14410	Piezo Ignitor and Bracket	<a href="#">PRODUCT</a>
SP20063	Gasket Replacement Kit Burner Access Door	<a href="#">PRODUCT</a>
<b>PRO+G75-76N RH PV</b>		
SP13845A	Gas Control (Thermostat) - NG	<a href="#">PRODUCT</a>
SP42063	Burner Assembly Kit	<a href="#">PRODUCT</a>
AP17340-1	Blower (Residential)	<a href="#">PRODUCT</a>
SP20172	FV Sensor Kit	<a href="#">PRODUCT</a>
SP20063	Gasket Replacement Kit Burner Access Door	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**



**RESIDENTIAL ELECTRIC**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PRODUCT LINKS**

**PARTS LIST**

PART #	DESCRIPTION	LINKS
<b>PROE40-M2-RH95</b>		
SP10869MM	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP17618AM	Element - 240V/4500W Stainless Steel Dry Fire Resistant LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP11695	Thermostat - Electric	<a href="#">PRODUCT</a>
SP11698	Thermostat - Electric	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>
<b>PROE40-T2-RH95</b>		
SP10869MM	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP17618AM	Element - 240V/4500W Stainless Steel Dry Fire Resistant LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP11695	Thermostat - Electric	<a href="#">PRODUCT</a>
SP11698	Thermostat - Electric	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>

PART #	DESCRIPTION	LINKS
<b>PROE50-M2 RH95</b>		
SP10869ML	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP17618AM	Element - 240V/4500W Stainless Steel Dry Fire Resistant LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP11695	Thermostat - Electric	<a href="#">PRODUCT</a>
SP11698	Thermostat - Electric	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>
<b>PROE50-T2-RH95</b>		
SP10869ML	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP17618AM	Element - 240V/4500W Stainless Steel Dry Fire Resistant LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP11695	Thermostat - Electric	<a href="#">PRODUCT</a>
SP11698	Thermostat - Electric	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**

**RESIDENTIAL ELECTRIC**

**PRODUCT LINKS**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PARTS LIST**

PART #	DESCRIPTION	LINKS
<b>ELD66-D</b>		
SP18708QL	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
AP17231	Thermostat - Electric	<a href="#">PRODUCT</a>
AP16639	Thermostat - Electric	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>
<b>ELD80-D</b>		
SP18708QL	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
AP17231	Thermostat - Electric	<a href="#">PRODUCT</a>
AP16639	Thermostat - Electric	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>
<b>ELD120-D</b>		
SP18708QL	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
AP17231	Thermostat - Electric	<a href="#">PRODUCT</a>
AP16639	Thermostat - Electric	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>

PART #	DESCRIPTION	LINKS
<b>MR50245C</b>		
SP213670	Element - 240V/4500W Titanium Unfused LWD - 1-1/2 in. Screw-in	<a href="#">PRODUCT</a>
SP610160	Element - 240V/4500W Copper Fused LWD - 1-1/2 in. Screw-in	<a href="#">PRODUCT</a>
SP210239	Thermostat - Electric	<a href="#">PRODUCT</a>
SP210245	Thermostat - Electric	<a href="#">PRODUCT</a>
<b>MRG85245C</b>		
SP17161B	Element - 240V/4500W Titanium Non-Resistored LWD - Flat Flange	<a href="#">PRODUCT</a>
SP610160	Element - 240V/4500W Copper Fused LWD - 1-1/2 in. Screw-in	<a href="#">PRODUCT</a>
SP210239	Thermostat - Electric	<a href="#">PRODUCT</a>
SP210245	Thermostat - Electric	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**



**RESIDENTIAL HYBRID**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PRODUCT LINKS**

**PARTS LIST**

PART #	DESCRIPTION	LINKS
<b>PROPH40 T2 RH400-30</b>		
SP10869ML	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP20845	Thermistor Kit (includes 1 Thermistor, 3 Different Clips, 1 Cork Tape)	<a href="#">PRODUCT</a>
SP21271A	Display Control Replacement Kit for HPWH GEN 5 (40 gal 240V Elements and Compressor)	<a href="#">PRODUCT</a>
43-25136-27	Capacitor - 15/440 Single Round	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>
<b>PROPH50 T2 RH400-30</b>		
SP10869ML	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP20845	Thermistor Kit (includes 1 Thermistor, 3 Different Clips, 1 Cork Tape)	<a href="#">PRODUCT</a>
SP21271B	Display Control Replacement Kit for HPWH GEN 5 (40 gal 240V Elements and Compressor)	<a href="#">PRODUCT</a>
43-25136-27	Capacitor - 15/440 Single Round	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>

PART #	DESCRIPTION	LINKS
<b>PROPH65 T2 RH400-30</b>		
SP10869ML	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP20845	Thermistor Kit (includes 1 Thermistor, 3 Different Clips, 1 Cork Tape)	<a href="#">PRODUCT</a>
SP21271C	Display Control Replacement Kit for HPWH GEN 5 (40 gal 240V Elements and Compressor)	<a href="#">PRODUCT</a>
43-25136-27	Capacitor - 15/440 Single Round	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>
<b>PROPH80 T2 RH400-30</b>		
SP10869ML	Element - 240V/4500W Stainless Steel Resistored LWD - 1 in. Screw-in	<a href="#">PRODUCT</a>
SP20845	Thermistor Kit (includes 1 Thermistor, 3 Different Clips, 1 Cork Tape)	<a href="#">PRODUCT</a>
SP21271D	Display Control Replacement Kit for HPWH GEN 5 (40 gal 240V Elements and Compressor)	<a href="#">PRODUCT</a>
43-25136-27	Capacitor - 15/440 Single Round	<a href="#">PRODUCT</a>
SP6708	Gasket - Element	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**



**COMMERCIAL GAS**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PRODUCT LINKS**

PART NUMBER	DESCRIPTION	LINKS
<b>G75-125 NG</b>		
AP11524M	Anode Rod	<a href="#">PRODUCT</a>
AP10500M	Dip Tube	<a href="#">PRODUCT</a>
SP9013F	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999P-5	Nipple	<a href="#">PRODUCT</a>
SP10764B	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP13147-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963D	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>
<b>G82-156NG</b>		
SP11524C	Anode Rod	<a href="#">PRODUCT</a>
AP10500B-2	Dip Tube	<a href="#">PRODUCT</a>
SP9013F	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999P-5	Nipple	<a href="#">PRODUCT</a>
SP10764B	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP13148-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963D	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>

PART NUMBER	DESCRIPTION	LINKS
<b>G75-125 LP</b>		
AP11524M	Anode Rod	<a href="#">PRODUCT</a>
AP10500M	Dip Tube	<a href="#">PRODUCT</a>
SP9013F	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999P-5	Nipple	<a href="#">PRODUCT</a>
SP10764C	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP13147-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963E	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>
<b>G82-156 LP</b>		
SP11524C	Anode Rod	<a href="#">PRODUCT</a>
AP10500B-2	Dip Tube	<a href="#">PRODUCT</a>
SP9013F	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999P-5	Nipple	<a href="#">PRODUCT</a>
SP10764C	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP13148-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963E	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**



**COMMERCIAL GAS**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PRODUCT LINKS**

PART NUMBER	DESCRIPTION	LINKS
<b>G100-200 NG</b>		
AP11524S	Anode Rod	<a href="#">PRODUCT</a>
AP10500E-2	Dip Tube	<a href="#">PRODUCT</a>
SP9013D	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999AF-5	Nipple	<a href="#">PRODUCT</a>
SP10764B	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP15561-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963D	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>
<b>G100-270 NG</b>		
AP11524S	Anode Rod	<a href="#">PRODUCT</a>
AP10500J	Dip Tube	<a href="#">PRODUCT</a>
SP9013D	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999AF-5	Nipple	<a href="#">PRODUCT</a>
SP10764B	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP13149-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963D	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>

PART NUMBER	DESCRIPTION	LINKS
<b>G100-200 LP</b>		
AP11524S	Anode Rod	<a href="#">PRODUCT</a>
AP10500E-2	Dip Tube	<a href="#">PRODUCT</a>
SP9013D	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999AF-5	Nipple	<a href="#">PRODUCT</a>
SP10764C	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP15561-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963E	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>
<b>G100-270 LP</b>		
AP11524S	Anode Rod	<a href="#">PRODUCT</a>
AP10500J	Dip Tube	<a href="#">PRODUCT</a>
SP9013D	T&P	<a href="#">PRODUCT</a>
SP12231B	Drain Valve	<a href="#">PRODUCT</a>
AP8999AF-5	Nipple	<a href="#">PRODUCT</a>
SP10764C	Pilot/Igniter Assembly	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP13149-1	Vent Damper Assembly	
SP11798B	Thermostat	<a href="#">PRODUCT</a>
SP10963E	Gas Valve	<a href="#">PRODUCT</a>
SP10763C	ICM (Includes Ign Cable)	<a href="#">PRODUCT</a>
SP8828G	Igniter Cable	<a href="#">PRODUCT</a>
SP20891	Damper Motor	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**

**COMMERCIAL GAS - TRITON**

**PRODUCT LINKS**



Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PARTS LIST**

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE80SU-130</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	<a href="#">PRODUCT</a>
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE80SU-160</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	<a href="#">PRODUCT</a>
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

<b>EXTENSIVE ISSUE KIT # SP222222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	SP21003A	Display Kit	<a href="#">PRODUCT</a>
	SP21002A	Ignition Control Module	<a href="#">PRODUCT</a>
	SP20999A	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998A	Gas Valve Assy	<a href="#">PRODUCT</a>

<b>EXTENSIVE ISSUE KIT # SP222222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	SP21003A	Display Kit	<a href="#">PRODUCT</a>
	SP21002A	Ignition Control Module	<a href="#">PRODUCT</a>
	SP20999A	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998A	Gas Valve Assy	<a href="#">PRODUCT</a>

SP9013D	T&P	<a href="#">PRODUCT</a>
SP12231B-1	Drain Valve	
AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
SP20996A	Burner Tube	<a href="#">PRODUCT</a>
SP20995A	Complete Combustion Assy NG	<a href="#">PRODUCT</a>
AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
AP19239-4	Wiring Harness - Top Pan G2 GHE	<a href="#">PRODUCT</a>
AP19538A-1	Wiring Harness	<a href="#">PRODUCT</a>
AP19114	Wiring Harness Rear cold water inlet	<a href="#">PRODUCT</a>
AP18570	External Anode Wiring Harness	<a href="#">PRODUCT</a>
AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
AP18579	Transformer	<a href="#">PRODUCT</a>
AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>

SP9013D	T&P	<a href="#">PRODUCT</a>
SP12231B-1	Drain Valve	
AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
SP20996A	Burner Tube	<a href="#">PRODUCT</a>
SP20995A	Complete Combustion Assy NG	<a href="#">PRODUCT</a>
AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
AP19239-4	Wiring Harness - Top Pan G2 GHE	<a href="#">PRODUCT</a>
AP19538A-1	Wiring Harness	<a href="#">PRODUCT</a>
AP19114	Wiring Harness Rear cold water inlet	<a href="#">PRODUCT</a>
AP18570	External Anode Wiring Harness	<a href="#">PRODUCT</a>
AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
AP18579	Transformer	<a href="#">PRODUCT</a>
AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.

**RHEEM - REPLACEMENT PARTS**

**COMMERCIAL GAS - TRITON**

**PRODUCT LINKS**



Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PARTS LIST**

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE80SU-200</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE80SU-300</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>EXTENSIVE ISSUE KIT # SP22222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	SP21003A	Display Kit	<a href="#">PRODUCT</a>
	SP21002A	Ignition Control Module	<a href="#">PRODUCT</a>
	SP20999B	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998B	Gas Valve Assy	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>EXTENSIVE ISSUE KIT # SP22222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	SP20999B	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998B	Gas Valve Assy	<a href="#">PRODUCT</a>

	SP9012B	T&P	<a href="#">PRODUCT</a>
	SP12231B-1	Drain Valve	
	AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
	SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
	AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
	AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
	AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
	AP18579	Transformer	<a href="#">PRODUCT</a>
	AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
	AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>

	SP9013D	T&P	<a href="#">PRODUCT</a>
	SP12231B-1	Drain Valve	
	AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
	SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
	AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
	SP20996A	Burner Tube	<a href="#">PRODUCT</a>
	SP20995A	Complete Combustion Assy NG	<a href="#">PRODUCT</a>
	AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
	AP19239-4	Wiring Harness - Top Pan G2 GHE	<a href="#">PRODUCT</a>
	AP19538A-1	Wiring Harness	<a href="#">PRODUCT</a>
	AP19114	Wiring Harness Rear cold water inlet	<a href="#">PRODUCT</a>
	AP18570	External Anode Wiring Harness	<a href="#">PRODUCT</a>
	AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
	AP18579	Transformer	<a href="#">PRODUCT</a>
	AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
	AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.

**RHEEM - REPLACEMENT PARTS**

**COMMERCIAL GAS - TRITON**

**PRODUCT LINKS**



Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PARTS LIST**

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE100SU-200</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE100SU-250</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>EXTENSIVE ISSUE KIT # SP22222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	SP21003AE	Display Kit	
	SP21277	Ignition Control Module	<a href="#">PRODUCT</a>
	SP20999B	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998B	Gas Valve Assy	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>EXTENSIVE ISSUE KIT # SP22222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	SP20999B	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998B	Gas Valve Assy	<a href="#">PRODUCT</a>

SP9013D	T&P	<a href="#">PRODUCT</a>
SP12231B-1	Drain Valve	
AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
SP20997A	Burner Tube	<a href="#">PRODUCT</a>
SP21001A	Complete Combustion Assy NG	<a href="#">PRODUCT</a>
AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
AP18579	Transformer	<a href="#">PRODUCT</a>
AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>

SP9012B	T&P	<a href="#">PRODUCT</a>
SP12231B-1	Drain Valve	
AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
AP18579	Transformer	<a href="#">PRODUCT</a>
AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**

**COMMERCIAL GAS - TRITON**

**PRODUCT LINKS**



Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PARTS LIST**

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE100SU-300</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>TRITON HD - GHE100SU-400</b>			
<b>MAINTENANCE KIT # SP11111</b>	AP14074-3	ECO /Upper Temp Probe	<a href="#">PRODUCT</a>
	SP21104	Igniter Replacement Kit	<a href="#">PRODUCT</a>
	AP17872	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP17894A	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	
	AP24422	Pressure Switch - Intake	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>EXTENSIVE ISSUE KIT # SP22222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	AP24092	Display Kit	<a href="#">PRODUCT</a>
	SP21277	Ignition Control Module	<a href="#">PRODUCT</a>
	SP20999B	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998B	Gas Valve Assy	<a href="#">PRODUCT</a>

	PART #	DESCRIPTION	LINKS
<b>EXTENSIVE ISSUE KIT # SP22222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	SP21003AW	Display Kit	
	SP21277	Ignition Control Module	<a href="#">PRODUCT</a>
	SP21108A	Blower	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP20998E	Gas Valve Assy	<a href="#">PRODUCT</a>

SP9012B	T&P	<a href="#">PRODUCT</a>
SP12231B-1	Drain Valve	
AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
SP20997A	Burner Tube	<a href="#">PRODUCT</a>
SP21001A	Complete Combustion Assy NG	<a href="#">PRODUCT</a>
AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
AP18579	Transformer	<a href="#">PRODUCT</a>
AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>

SP9012B	T&P	<a href="#">PRODUCT</a>
SP12231B-1	Drain Valve	
AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
AP18813-1	Lower Temp Probe	<a href="#">PRODUCT</a>
SP20997B	Burner Tube	<a href="#">PRODUCT</a>
SP21001B	Complete Combustion Assy NG	<a href="#">PRODUCT</a>
AP18576	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
AS46847-1	Exhaust Tee Assembly	<a href="#">PRODUCT</a>
AP18579	Transformer	<a href="#">PRODUCT</a>
AS46853-1	Leak Sensor Assembly	<a href="#">PRODUCT</a>
AP19144-1	Water Flow Assembly	<a href="#">PRODUCT</a>



FourMation Sales stocks the most requested Rheem parts to keep your systems running efficiently. From ignitors and sensors to thermostats and control boards, we provide genuine Rheem components backed by trusted performance and fast availability. Please contact us parts support or technical assistance.



www.rheem.com

**RHEEM - REPLACEMENT PARTS**

**TRITON®**



**COMMERCIAL GAS - TRITON**

Top requested parts are always in stock at FourMation Sales. Contact your sales rep for more information.

**PRODUCT LINKS**

**PARTS LIST**

	PART #	DESCRIPTION	LINKS
<b>TRITON SD - GHE119SU-500</b>			
<b>MAINTENANCE KIT # SP111111</b>	SP21223	Flame Sensor Rod	<a href="#">PRODUCT</a>
	AP24429	Pressure Switch Exhaust	<a href="#">PRODUCT</a>
	AP17892A-1	Pressure Switch - POF	
	AP22243	Pressure Switch - Intake	<a href="#">PRODUCT</a>
<b>EXTENSIVE ISSUE KIT # SP222222</b>	AP17898	Low Gas Pressure Switch	<a href="#">PRODUCT</a>
	AP18572	Anode Rod	<a href="#">PRODUCT</a>
	AP21844	Anode Control Module	<a href="#">PRODUCT</a>
	SP9012B	T&P	<a href="#">PRODUCT</a>
	SP12231B-1	Drain Valve	
	AP18971	Nipple w/ Indexed Diffuser Tube (2")	<a href="#">PRODUCT</a>
	SP5886	Hand Hole Gasket	<a href="#">PRODUCT</a>
	AP23064	Wiring Harness- GHE Gas Valve	<a href="#">PRODUCT</a>
	SP21224	Ignitor	<a href="#">PRODUCT</a>



**FOURMATIONSALES**  
PLUMBING, HEATING AND MECHANICAL INDUSTRIES

**2025**

# WAREHOUSE CATALOG



[www.fourmationsales.com](http://www.fourmationsales.com)  
[orders@fourmationsales.com](mailto:orders@fourmationsales.com)

14235 Northdale Blvd | Suite 100  
Rogers, MN 55374

**(763) 420-6900**

